

# Wholesale Product Catalog

## Contents by category

### Computer Peripherals & Expansion

**P001 | PCIe 3.0 X1 to SATAIII 6Gbps 20 Port Card**

With upstream PCIe Gen3x1 and downstream 20 SATA Gen3 port, it's a low latency, low cost, and low power AHCI controller, each Serial ATA port support transmission speeds up to 6Gbps.

**P002 | PCIe to USB-C 4 Port 10Gbps Card**

Allows the PC to add 4 external USB Type-C 10Gbps ports & 2A power supply to each port

**P003 | PCIe to 3 x USB-C 10Gpbs and Internal USB-A 2.0 + Type E Card**

Add 3 x USB-C 3.2 10Gbps, 1 x internal USB-A 2.0 and 1 x Type-E 10Gpbs ports to the PC via PCIe slot

**P004 | USB 5.1 Channel CM6206 External Sound Card**

Setting up home cinemas with 5.1 surround sound or for professional Sound editing, this external sound card connectors seamlessly to PC and Sound equipment.

**P005 | USB Port Blocker (Key + 10 Locks)**

Tamper Resistant Design secures against unauthorized port access

**P006 | 20 Pin USB3.0 to 20 Pin+Type E GL3510 Adapter**

It is designed to expand a single motherboard USB 3.0 header into two separate ports: one USB 3.0 19/20-pin header and one USB 3.1 Type-E (A-Key)

**P007 | U.2 SFF-8639 to PCI-E X4 Riser Card**

The device is used to connect high-performance 2.5-inch U.2 NVMe SSDs to a standard desktop or server motherboard via a PCIe X4 slot

**P008 | PCIe 3.0 x1 Male to Female 90° 15cm Riser Cable**

PCIe 3.0 x1 riser/extension cable designed to relocate low-profile expansion cards in tight computer cases

**P009 | 2.4G/5.8G 8dBi MIMO RP-SMA Male Antenna for WiFi Router**

This Antenna is a high-gain Omni-directional antenna. Dual Band WiFi: 2.4GHz (2400 - 2485 MHz), 5.8GHz (5150 - 5850 MHz); Gain: 8dBi; Antenna Connector: RP-SMA Male Connector

**P010 | 2.4G/5G WiFi Display TV Dongle Receiver HDMI 4K Adapter**

This wireless dongle can project smart phone, tablet and laptop content to another screen through wireless connection under the DLNA, Miracast and Airplay standards.

### Network & Connectivity Products

**P011 | PCIe X4 AQC107 10 Gigabit RJ45 Card**

1 Port 10Gbps with AQUANTIA AQC107 chip, 10Gbps at 100m Cat6a cable, compatible 5G/2.5G/1G/100Mbps auto-negotiation at 100m Cat 5e/6 cable--- Slot x4, PCIe 3.0(8.0GT/S) bus

**P012 | 100GbE Dual QSFP28 Port Ethernet Network Adapter**

E810-CQDA2 supports a wide range of system configurations to meet customer needs and workload requirements. The availability of multiple port and

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

speed combinations simplifies verification and deployment

### **P013 | Dual SFP+ Ports, 40Gbps PCIe Ethernet LAN Adapter**

XL710-QDA2 40Gbps Ethernet card ensures smooth usage, responsive performance, and overall stability for a reliable networking experience

### **P014 | 10GbE RJ-45 PCIe X4 Gigabit Ethernet Server Dual Port Network Card**

X550-T2 PCIe 3.0 (5.0 GT/s) X4 Lane operable in x8 and x16 slots, 10GBASE-T controller with integrated MAC and PHY

### **P015 | PCIe X8 ConnectX-3 10 Gigabit Dual-Port SFP+ Card**

PCIe X8 Mellanox Connectx-3 Dual-Port 10G SFP+ adapter Card with PCIe 3.0 deliver high-bandwidth and industry-leading Ethernet connectivity for performance-driven server and storage applications in Enterprise Data Centers

### **P016 | Cat 8 Ethernet 1M Cable 40Gbps 2000MHz**

High-performance network cable is a S/FTP design, which uses double shielding to minimize electromagnetic interference and crosstalk

### **P017 | 1-to-4 Gigabit Ethernet RJ45 Splitter with USB Power Cable**

RJ45 Internet Splitter Adapter 1000Mbps High Speed for Cat 5/5e/6/7/8 Cable [4 Devices Networked Simultaneously]

### **P018 | SFP+10G-LR**

10Gbps 1310nm 10km LC SFP+ Transceiver is to connect network switches, routers, and servers over long distances using single-mode fiber optic cabling

### **P019 | PCIe x8/x16 10Gb Dual SFP+ Ports Network Card NIC**

BCM57810S Controller supports Single Root I/O virtualization and improve servers stability. Dual SFP+ Ports, apply to 10G SFP+ module/ DAC /AOC. PCIe 2.0. 5.0 G T/s x 8 Lane, compatible with PCIE X8, X16 Slot

### **P020 | RJ45 Port Blocker (Key + 10 Locks)**

Installs fully flushed as an added deterrent on most RJ45 jacks

## Mobile Phone & Telecom Accessories

---

### **P021 | Phone Tether with Adjustable Rope and Clip**

Retractable length and detachable strong buckle design allow you to use it in the way you need, like hanging to your belt loop, backpack, or zipper

### **P022 | USB Type-A & C to 4 Ports Multi Charging 1.5M Cable**

USB C/A to iWatch charger, USB C/A to 2 x USB C cables & Lightning Cable

### **P023 | High-definition 1920\*1440 USB 1M Cable Endoscope**

8mm high-definition lens with 8 adjustable brightness LED lights, providing optimal illumination for clear visualization in dark spaces for searching

### **P024 | USB-C in-ear Wired Earphone**

Type-C Earbuds With Microphone and Volume Control, durable Headphones with Fabric cable

### **P025 | USB C to C Male 1M Coiled Charger Cable**

Coiled USB-C car charger supports PD3.0 and QC3.0 fast charging with a max. 60W (20V 3A) output and data transfer speeds up to 480Mbps

### **P026 | 30W GaN Fast Wall Charger USB C Port for Mobile Phone**

30watt USB C power adapter is powered By GaN III Tech, and compared to silicon, GaN is 20x faster switching, 3X smaller and lighter, 3x higher power density and 3x faster charging

### **P027 | Auxiliary Hearing Bluetooth Amplification Neck Headset**

Applicable to mild, moderate hearing loss & Neck hanging design, more convenient to wear

### **P028 | USB type A Male to type C, Lightning, Micro USB, 3 in 1, 1M, 2.4A Cable**

The cable comes with 3 Different pins allowing you to charge devices at the same time  
High-quality copper wires promote maximum signal quality and strength

### **P029 | Phone Lanyard Neck Strap**

8mm\*150cm Minimal Famous watch hook shape rope for crossbody  
(Two-sides adjustable version for Neck wear & Crossbody)

### **P030 | OTG Card Reader For Type-C Smart Phone**

USB-C OTG Plug in phone TF Card Reader with Keychain

## Computer Peripherals & Expansion

---

### **P031 | USB Type C to HDMI 4K 30Hz & PD Adapter**

The adapter features an HDMI 4K @30Hz output port and a 100W PD fast charging port. 2 ports work simultaneously.

## Network & Connectivity Products

---

### **P032 | SFP-10G-ER**

10Gbps SFP+ ER 1550nm 40km LC SFP+ Transceiver

### **P033 | SFP+ DAC Cable**

10Gbps SFP+ Passive DAC Twin ax Cable 30AWG 0.5M

### **P034 | SFP+10G-ZR**

10Gbps 1550nm 80km SFP+ ZR Transceiver

### **P035 | SFP+10G-SR**

10Gbps 850nm 300m LC SFP+Transceiver

## Computer Peripherals & Expansion

---

### **P036 | 2.4G/5G Wireless 4K@30Hz HDMI TV Mirroring Receiver**

Supports Wireless Screen Mirroring and Casting

## Service Instruments & Tools

---

### **P037 | 24 in 1 Screwdriver Set**

Magnetic and Non-slip Handles Magnetic tips securely hold screws, while non-slip handles ensure a firm grip during use

### **P038 | 115-in-1 Precision Screwdriver Set**

Multifunctional Screwdriver Set Comprehensive 115-in-1 set caters to a wide range of repairs with versatile screw head types

## Computer Peripherals & Expansion

---

### **P039 | 2-Bay 2.5 to 3.5 Inch Aluminum Alloy HDD Bracket Mounting**

Supports both HDD and SSD drives including IDE interfaces making it versatile for various storage upgrades and replacements

### **P040 | 4-Bay 2.5 to 3.5 Inch Aluminum Alloy HDD Bracket Mounting**

Allows mounting of four 2.5 inch drives into a single 3.5 inch bay perfect for expanding storage in desktops or NAS setups

### **P041 | 3.5Inch Front Panel 2xUSB-C 10Gbps & 2xUSB3.0**

2 ports TYPE-C + 2 ports USB-A panel, USB3.2 GEN2 10Gbps2 with Powerful chip, USB3.2 floppy drive position front panel.

### **P042 | 3.5Inch Front Panel With Type C + USB3.0 X 2 & Audio Port**

Front panel USB 3.1 hub leads to 1xTYPE C, 2xfront USB3.0 interface, audio interface, effective use of chassis 3.5inch floppy drive bay

### **P043 | 3.5Inch Front Panel With Type C 20Gbps + USB3.0 X 2**

USB-C port features the latest USB 3.2 2x2 standard, which supports an extremely fast data transmission rate up to 20 Gbps. (Type-C standard cable is to be inherently able to operate at both USB Type-C Gen 2 10Gbps and Gen 2x2 20Gbps speeds.)

### **P044 | 3.5Inch Front Panel With USB3.0 X 2 & Audio Port**

This front panel can be installed into a free 3.5" bay of a computer. It has two USB 3.0 and two HD-Audio ports. The connecting cables will be connected internally to the motherboard.

### **P045 | 3.5inch Type C + USB3.0 Front Panel**

You can use this panel, as long as through the panel A USB3.0 19Pin socket is plugged into the main board, which leads to 1 Port TYPE-C + 1 Port USB3.2 Gen1 ports and is installed in an idle 3.5" floppy drive.

### **P046 | 360-Degree Swivel Head Endoscope with 4.3-inch Screen**

Endoscope Snake Camera with 8mm Lens Diameter and 1 Meter Semi-Rigid Cable. Used in car, truck, and motorcycle repairs for piston and valve inspection inside the engine, and in plumbing, electrical installations, and hydraulic pipe inspection.

## Mobile Phone & Telecom Accessories

---

### **P047 | USB-C male to USB-A 3.0 female OTG adapter**

allows you to connect standard USB-A peripherals-such as flash drives, keyboards and external hard drives-directly to your USB-C smartphones, tablets, or laptops.

### **P048 | 8-pin Lightning male to USB-C female OTG adapter**

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

It designed to bridge connectivity between Lightning-based devices and USB-C cables or peripherals

### Computer Peripherals & Expansion

---

#### P049 | PCIe 3.0 X4 To X4 Riser Cable 20cm

Supports PCIe 3.0 Gen3 speeds up to 32Gbps. It is used to extend a PCIe x4 slot away from the motherboard.

#### P050 | PCIe 3.0 x4 to x4 dual 90-degree right-angle riser extension cable

It features a flexible flat ribbon cable design that extends a motherboard's standard PCIe x4 slot by 20cm

### Mobile Phone & Telecom Accessories

---

#### P051 | 45W PD Type-C Fast Charger

Input: 100V-240V, 50/60Hz, 1.5A Max.

Output: 5V?3A, 9V?3A, 15V?3A, 20V?2.25A

### Computer Peripherals & Expansion

---

#### P052 | 4K HDMI USB 3.0 Video Capture Card

Supports input up to 4K@60Hz and captures video at 4K@30Hz / 1080P@120Hz, delivering crisp, high-fidelity visuals for gaming, streaming, and content creation.

#### P053 | 5.25inch Front Panel with 2xUSB3.0+2xType-C+TF+SD+3.5mm Audio Jack

Upgrades your PC setting with the USB3.2 GEN1 5.25inch Bay Panel, offering fast speed data transfer up to 5Gbps for seamlessly connection.

#### P054 | 5.25inch Internal DVD RW Drive

Read: DVD 16X; CD 48X

Burn: DVD 24X; CD 48X

Interface: SATA

#### P055 | 5.25inch USB3.2 10Gbps Front Panel With 2 x Type-A & 2 x Type-C

USB3.2 interface and 5.25inch bay of PC front panel, compliant with USB 3.2 Super-Speed (10Gbps), USB 3.0 Super-Speed (5Gbps).

### Network & Connectivity Products

---

#### P056 | 1300Mbps USB 3.0 Wi-Fi Adapter WiFi 6E

Peak throughput: 2.4G-574Mbps, 5G-2400Mbps, 6G-2400Mbps

Antenna: 2\* 2dBi

#### P057 | WiFi 6-900Mbps + BT5.4 USB Adapter

Integrates Wi-Fi 6 and Bluetooth 5.4 onto one USB connector, saving valuable USB ports. 5GHz Band: Up to 600 Mbps. 2.4GHz Band: Up to 287 Mbps.

### Computer Peripherals & Expansion

---

#### P058 | Adjustable Rolling Laptop Desk

The cart is made of high quality MDF and can be assembled easily. It is very comfortable for both reading and writing.

You can adjust the height of the stand within the range of 59- 89cm for your convenience to match your armchair, sofa, gaming chair etc.

#### P059 | AX200NGW Wi-Fi 6 M.2 Wireless Module

Wi-Fi 6 AX200 (Gig+) PCI-Express M.2 2230 802.11ax WLAN 2.4Gbps Bluetooth 5.2 WiFi Card

#### P060 | AX210NGW WiFi 6E Wireless Module

WiFi 6E Card M.2 5400Mbps Tri-Band Wireless Module for Laptop, 11AX WiFi Adapter with Bluetooth 5.3, MU-MIMO, Ultra-Low Latency, NGFF

### Mobile Phone & Telecom Accessories

---

#### P061 | Bluetooth Smart Ring

Daily activities: steps, distance, calorie calculation

Health management: Heart rate measurement, blood oxygen saturation, HRV heart rate variability, stress sleep tracking, multiple exercise patterns

Other functions: Remote control for taking photos, ring search, menstrual cycle

### Service Instruments & Tools

---

#### P062 | Orange Pi PC & PC Plus Acrylic Case with Cooling Fan

Made of acrylic panels that protect the circuitry while fully showing the internal board. Features a tiny top-mounted cooling fan to dissipate heat from the main processor (CPU) and prevent thermal throttling.

#### P063 | Orange Pi One & One Plus ABS Transparent Case

This transparent enclosure is specifically designed for the Orange Pi One / One Plus board series. Made from high-quality, impact-resistant, and dustproof ABS plastic to protect the inner components from damage.

#### P064 | Orange Pi PC, PC Plus & PC2 ABS Transparent Case

Perfectly tailored to fit the Orange Pi PC, Orange Pi PC Plus, and Orange Pi PC2 development boards. Manufactured using high-quality, transparent ABS engineering plastic that offers solid impact resistance.

#### P065 | Orange Pi Lite & Pi Lite 2 ABS Transparent Case

Made from high-transparency ABS plastic, designed specifically for the Orange Pi Lite and Lite 2 single-board computers.

#### P066 | Orange Pi Zero 3 Acrylic Case with Cooling Fan

This device is an Orange Pi Zero 3 mini single-board computer enclosed in a transparent acrylic case kit with an active cooling fan.

#### P067 | Orange Pi Zero ABS White color Case

It is an Official ABS Protective Case for the Orange Pi Zero single-board computer (White version). Dimensions is 56mm (Length) × 51mm (Width) × 36mm (Height).

### Computer Peripherals & Expansion

---

#### P068 | Computer GPU Vertical Bracket

Protect your Heavy and Expensive Graphics Card. 5V 3Pin ARGB SYNC. 1.38" to 6.77" Height Adjustable.

#### P069 | Computer Wired Stereo Small Speaker

Signal-to-Noise Ratio: > 80 dB

Frequency Response: 20HZ - 17KHZ

Separation Degree: 40DB

Output Power: 3W

Cable Length: 100cm

Audio Interface: 3.5mm Audio Port

### Audio, Speakers & Video Equipment

---

#### P070 | Digital to Analog Audio Converter (DAC)

Converts optical/coaxial SPDIF digital audio signals to analog RCA (L/R) and 3.5mm audio outputs, solving interface compatibility issues.

### Service Instruments & Tools

---

#### P071 | Dual Mode Detector & Multi-Meter

Comes with two test probes to measure up to 500v dc or 500v ac (rms) in various environments.

Meets IEC 61010-1 standards for overvoltage safety, suitable for electricians and homeowners.

### Computer Peripherals & Expansion

---

#### P072 | Graphic Card Anti-Sag Bracket

The supporting height can be adjusted from 6 to 96 mm, allowing it to fit various graphics cards and case layouts.

#### P073 | Graphic Card Bracket

It is specifically engineered for PC chassis setups to support heavy graphics cards and prevent physical warping or damage to the PCIe slot.

### Audio, Speakers & Video Equipment

---

#### P074 | 12-24 Inch LED TV Flat Screen Wall Mount Bracket

Maximum mounting hole distance :100x100mm

Maximum load bearing :13kgs/28lbs

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

Wall distance :40mm

Applicable hole distance: 75x75mm & 100x100mm

### Computer Peripherals & Expansion

---

#### P075 | Internal 2.5inch HDD Bracket

Material: aluminum alloy Internal Hard Drive Bracket.

Size: 12X9.4X2.2cm, PCI Slot Expansion Rear Bracket.

### Audio, Speakers & Video Equipment

---

#### P076 | LED Light Head Lamp

Dual-source white laser (white+blue light) +20\*COB white light +10\*COB red light

Headlamp: 7\*7.8\*6cm; Battery backpack: 8.7\*4.7\*3cm; 180g

### Computer Peripherals & Expansion

---

#### P077 | M.2 Copper Heatsink

This NVMe M.2 heatsink compatible with M.2 2280 SSD, 0.5mm Thickness copper heatsink, designed for the compact space of laptops, with 10-20°C cooling effect.

#### P078 | M.2 M Key to Type E & 20Pin 5Gbps Card

M.2 M Key to Type E & 20Pin 5Gbps Card allows for convenient conversion of M.2 M Key interface to front USB3.1 interface, providing additional connection options.

#### P079 | M.2 M Key to USB 3.1 10Gbps Type E X 2 Port Card

Heatsink: One Heatsink

Input interface: M.2 M Key

Output: Dual Type E Port

Type E: Can convert to TYPE-C USB3.2 10Gbps

Size: 80x22cm

#### P080 | M.2 NVMe SSD to PCIe 5.0 X4 Card

Expands M.2 NVMe Key M connectivity through a PCIe x4 interface, supports 2TB/4TB SSD drives (works with PCIe 5.0/4.0/3.0 M.2 SSDs in 2280/2260/2242/2230 form factors).

#### P081 | M.2 V3-SSD Heatsink

M.2 SSD heatsink features two 6mm highly conductive pure copper heat pipes, providing superior thermal buffering capacity for instant high temperatures.

#### P082 | Mini PCIe to M.2 key B Adapter

Allows user to use M.2 socket SSIC-based WWAN module to Mini PCIe slot in the desktop computer or laptop

### Mobile Phone & Telecom Accessories

---

#### P083 | Mobile Phone Chest Strap Harness Mount Head Strap Holder Kit

Smart phone to become an action camera to record that wonderful moment of your life, it can free your hand and maintain stable shooting status, it's excellent POV shooting tools.

### Audio, Speakers & Video Equipment

---

#### P084 | Monitor Stand Riser 3 Height Adjustable

This monitor stand features 3 height settings at 95.8mm, 118.5mm, and 138.5 tall. Material : Alloy Steel, Polycarbonate (PC), Rubber

Weight : 820g

Size : 370x230x135mm

### Computer Peripherals & Expansion

---

#### P085 | PCIe 5.0 X16 to 4 Ports M.2 NVMe SSD Card

PCIe 5.0 x16 to M.2 NVMe Expansion: Unlock high-speed data transfer with PCIe 5.0 x16 to M.2 NVMe adapter, supporting up to 128Gbps

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

bandwidth.

### P086 | PCI Bracket 2.5inch SATA HDD Enclosure

Maximize performance, transfer speeds up to 6Gbps; Makes removing/replacing drives quicker and safer; Key lock prevents unauthorized access to the data; Supports SATA I/II/III (1.5/3.0/6.0Gbps); Supports 2.5inch form factor hard drives (HDD/SSD).

### P087 | PCIe 10 Port SATA III 6Gbps Card

This PCIe SATA CARD allows you to add 10 SATA 3.0 6Gbps devices to your computer. Compatible with PCI-Express X1 /X4 /X8 /X16 slots.

### P088 | PCIe 2.5Gbps RTL8125 RJ45 Network Card

High-Speed 2.5G Performance: Supports 100M/1G/2.5G auto-negotiation, delivering up to 2500Mbps speed for faster file transfers and gaming.

### P089 | PCIe 3.0 x16 1 to 4 Split Card

PCIe3.0 x16 1 to 4 Split Card Gen3 PCIe-Bifurcation x16 to x4x4x4x4 Expansion Card Slots Power Supply Port installation  
PCIe X16 slot split 4 PCIeX4 (physical slot for X16)

### P090 | PCIe 4.0 X8 to Oculink SFF 8612 2 Port Card

PCIe X8 port, supports splitting into 2-port Oculink SFF8611 and 8612 expansion card enhances data transmission efficiency.

### P091 | PCIe 5.0 to M.2 NVMe SSD 22110 Expansion Card

Product dimensions: 128mm\*52mm

Supports: M.2 interface NVMe protocol 2230/2242/2260/2280/22110

### P092 | PCIe 5.0 x16 Male to Female 90° 20cm Riser Cable

This 20cm black straight PCIe 5.0 X16 riser cable provides 128GB/s extreme transmission bandwidth, matching the performance needs of flagship graphics cards.

### P093 | PCIe D720210 + D720201 to USB 3.0 7 Port Card

USB 3.0 PCI-e Card provides 7x external USB 3.0 ports via PCI-e x1/x4/x8/x16 for your PC, to connect external Hard Drives, CD/DVD drives, printers, scanners, webcams, and any other USB Devices

### P094 | PCIe to 2 x 5Gbps 19Pin Header Card

This is a PCIe X1 interface to 2X 5Gbps 19Pin USB 3.0 header expansion card, which can extend to PCs front panel 4X 5Gbps USB-A ports for large data transfers.

### P095 | PCIe to 4 Port Gigabit Ethernet RTL8111 Card

4 Gigabit Ethernet Ports (RJ45) support up to 1000 Mbps data transfer rate on each port for faster data handling and more efficient network performance.

### P096 | PCIe to 5Gbps Type A + C and Front Type E Port Card

External Type-C Port: Located on the rear bracket for direct plugging at the back of your PC case. External Type-A Port: Located below the Type-C port, providing a standard USB 3.0 port. Internal Type-E Header (A-KEY): this is used to connect the Type-C port on your PC case's front panel.

### P097 | PCIe to mini PCIe Riser Card

This product supports PCIe to mini PCIe interface, full height / half height, PCIe 1x signal, wireless network card, and USB 3.0 adapter card.

### P098 | PCIe to USB A & C 4 Ports 5Gbps Card

Supports USB ports X 4 data transfer rates of 5Gbps, built-in SATA power supply interface, USB output power is up to 5V, 1.5A.

### P099 | PCIe Type C 10G & DisplayPort V1.4 Alt-Mode Host Card

USB 3.2 Gen2 PCIe Expansion Card with USB-C 10Gbps Data/ 4K@60Hz Video/ 5V2A Power Output, USB-C to PCIe Card PCI Express 3.0 x4 Adapter for Desktop PC, SSD Enclosures, Workstations, File Backup.

### P100 | PCIe x1 to 3 X PCIe x1 Riser Card

It is designed to expand a single PCIe slot on a motherboard into multiple slots, which is commonly used in cryptocurrency mining rigs or systems requiring multiple low-bandwidth expansion cards.

### P101 | PCIe X4 Type-E 20Gbps ASM3242 Card

Utilizing a type E (A Key) interface this PCIe to USB 3.2 (2X2) expansion card supports up to 20Gbps data.

## Mobile Phone & Telecom Accessories

### P102 | Phone Grip Holder & Magnetic 360 Rotating Phone Grip

The phone grip strap adopts push & pull design that provides a secure your phone from dropping; The stand function makes it easier to watch movies and videos, they are compatible with 4 - 8 inch smartphones, tablets, and other similar digital devices.

### P103 | Phone Lanyard with 360 Rotating and Metal Tether Tab

This phone lanyard features an all-in-one design, allowing you to effortlessly switch between a crossbody, neck lanyard, or wrist strap through a metal connecting clasp to meet all your needs.

## Network & Connectivity Products

---

### P104 | Reusable Cable Ties with Hook and Loop

120Pcs Strong adjustable hook and loop Cable Ties reusable are made from Nylon fabric material. Size: 12mm x 150mm, Black Adjustable Reusable cable straps

### P105 | RJ45 Ethernet CAT6A Patch Cord 30cm (24pcs per Package)

Cat6A 30cm 24-Pack, 10Gbps Supports Cat8 Cat7 Network, Snagless Ethernet Patch Cable for Short Connections, Flexible Slim Ethernet Cable for Patch Panel, Switch, Server Rack, Black

### P106 | SAS\SATA 4-Bay HDD Backplane For Nas Server

SATA hard drive backplane, SATA interface to 4-disk hard drive backplane  
Supports SAS/SATA hard drive, single disk maximum speed 6Gbps

## Mobile Phone & Telecom Accessories

---

### P107 | Silicone Cable Ties (10pcs/pack)

Durable silicone, these cable ties are soft, flexible, and built to last. They're easy to clean, and stretch up to 2.5 times their length, ensuring reliable performance for long-term use.

## Test & Measurement Instruments

---

### P108 | Spherical Induction Water Meter

The water meter features a color LCD screen and sound prompt, easy to read and use, displaying temperature and humidity value simultaneously; After turning on the device, press and hold the ZERO/HOLD for more than 2s, it will automatically calibrate

## Computer Peripherals & Expansion

---

### P109 | Negative Film Slide Viewer Scanner

It is an affordable, standalone digital converter designed to digitize old 35mm (135) negatives and slides into JPEG files. It features a built-in 2.4-inch color LCD screen and operates without needing a computer, saving your digital images directly onto an SD card.

## Service Instruments & Tools

---

### P110 | 7-inch HD LCD screen 1200X Microscope with remote & backlight

12MP HD 7" Screen 1200x Digital Microscope HD Display Industrial Magnifier 1080P with 8 LED lights Multilanguages

## Computer Peripherals & Expansion

---

### P111 | USB-C Port Blocker (Key + 6 Locks)

This product is a Type-C (USB-C) Port Lock with Key, designed to provide hardware-level physical security for electronic devices.

## Mobile Phone & Telecom Accessories

---

### P112 | USB C Male 90 Degree to USB C Male 1M 5A Cable

This product is a 90-degree USB-C to USB-C fast charging cable (100W), designed specifically for tight spaces and handheld device usage such as mobile gaming or laptop charging without bending strain.

### P113 | Fingertip Bluetooth Remote Control Ring

It is designed to let you control your smartphone, tablet, or e-reader completely hands-free.

### P114 | Bluetooth Magnetic Smartphone Camera Grip

This device is a Bluetooth Magnetic Smartphone Camera Grip / Shutter Stabilizer (Model: BBC-9). It is designed to mimic the ergonomic feel of a traditional DSLR camera, giving you a stable grip and better control over your mobile photography

### P115 | Point-of-View Neck Phone Mount

Specifically engineered for hands-free video recording. It allows vloggers, cyclists, anglers, and chefs to capture immersive first-person perspectives easily.

### P116 | Qi2 25W 3-in-1 wireless charger with Cooling fan

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

This product is a 3-in-1 Active Cooling Magnetic Wireless Charging Stand. It utilizes the latest Qi2 wireless charging standard and is custom-built to charge an iPhone, Apple Watch, and AirPods simultaneously.

### Computer Peripherals & Expansion

---

#### P117 | PCIe to 2 Port SATA3.0 6Gbps ASM1061R Raid Card

This is PCI Express Gen2 x1 to two ports of Serial ATA 6Gbps, integrates ASMedia Hydratek hardware RAID engine, enables Serial ATA PHY up to 6Gbps high speed interface, supports SRIS(Separate Refclk Independent SSC) function, complies with Serial ATA Revision 3.2 Specification.

#### P118 | PCIe SATA III 6GB 4 Port Marvell 9215 Card

4-Port SATA III Expansion via PCIe This PCI-E to SATA3.0 card delivers four high-speed SATA III 6G ports, enabling fast data transfer for SSDs and HDDs in desktop computers

#### P119 | PCIe JMB363 SATA II + eSATA & IDE Controller Card

This PCIe card utilizes the JMB363 chipset to simultaneously add legacy IDE (PATA), internal SATA II, and external eSATA ports to modern motherboards with hardware RAID support.

### Mobile Phone & Telecom Accessories

---

#### P120 | Universal Travel Power Adapter (USB 2A + 3C, 45W)

Input: 100-250V, 50/60Hz, 1.3A

Single port output mode:

USB-A1/A2: 5V 2.4A 12W, USB-C2/C3: 5V 3A 15W

USB-C1: 5V 3A 15W, 9V 3A 27W, 12V 3A 36W, 15V 3A 45W, 20V 2.25A 45W

Total DC output: 45W

Plug Types?UK, Europe, USA, Australia, JP

### Computer Peripherals & Expansion

---

#### P121 | 5V USB-Powered COB LED Strip Light (3M Long)

Visual comfort through superior COB LED technology, ensuring a consistent and uniform light distribution that's gentle on the eyes.

### Audio, Speakers & Video Equipment

---

#### P122 | Kit For 6 Strip COB LED Light

Color Temperature: Warm White, Neutral White, White

Length: 1M, 3M & 5M (Per 2.5cm can be cuttable)

Switch Type: Penetrable Wood Hand Sweep and Stepless Touch Dimmer Switch

### Computer Peripherals & Expansion

---

#### P123 | PCIe to Type C X 2 & USB 3.2 X 3 ASM3142+VL822 Card

PCIe USB Expansion Card PCI Express X4 to 2Port USB C + 3Port USB3.2 Gen2 10Gbps Adapter

#### P124 | PCIe to USB 3.2 10Gbps A+C & Front Type E Port+20pin Card

PCIe3.0 to Type-C & Type-A USB3.2 Gen2 10Gbps & internal Type-E + 20pin headers allow you to connect and activate the modern USB-C and USB 3.0 ports built into your computer case's front panel.

### Mobile Phone & Telecom Accessories

---

#### P125 | 8827mAh Battery 32.4Wh

For iPad Air 1 & iPad 5-9 (10.2")

#### P126 | 7606mAh Battery 28.93Wh

For iPad 10, iPad Air 4-5 (10.9" & 11")

#### P127 | 5034mAh Battery 19.3Wh

For iPad Mini 6-7 (8.3")

## Audio, Speakers & Video Equipment

---

### P128 | 5V USB-powered COB LED strip light 5M Long

Delivers seamless, dotless linear lighting for ambient backlighting. It offers flexible wrapping, precise cutting, and universal USB plug-and-play functionality for easy setup anywhere.

## Computer Peripherals & Expansion

---

### P129 | Type-E Male to 20pin Male 30cm Cable

Convert the USB3.1 Type E plug inside the computer motherboard to a USB3.0 20pin male connector. Use for 3.0 20P female socket to expand USB3.0 Type-A female socket

### P130 | USB-C Port Blocker (Key + 10 Locks)

Type-C Locks Prevent Unauthorized Charging and Data Theft, Tamper Resistant Security for Laptops, Desktops, Workstations

## Network & Connectivity Products

---

### P131 | PCIe 4.0 x16 Single Port 100Gbps Ethernet Network Adapter card

E810-QSFP28 PCIe V4.0 x16 100G single port fiber optic network card NIC QSFP28-DAC-3m High Quality

### P132 | PCIe 3.0 x8 40Gbps single-port QSFP+ network Card

Intel XL710 Chipset, designed for data centers and high-bandwidth networking environments

### P133 | PCIe 4.0 x16, 4-Port SFP28, 25/10/1Gbps Card

Improving application efficiency and network performance with innovative and versatile capabilities. With its high 10/25GbE port density, the E810-XXVDA4 adapter is designed to optimize high-performance system workloads for Cloud and Communications.

### P134 | PCIe 4.0 x8, Dual Port SFP28, 25/10/1Gbps Card

E810-XXVDA2 supports solutions across Cloud, Enterprise, and Communications. Performance optimizations for Cloud, Enterprise, and Storage deployments

### P135 | PCIe 3.0 x8 high-performance dual-port 10/25GbE SFP28 Ethernet network Card

The XXV710-DA2 is a dual-port 25GbE PCIe 3.0 x8 server network interface card designed for high-performance data centers, cloud infrastructure, and network virtualization.

### P136 | PCIe 3.0 x8 high-performance single-port 10/25GbE SFP28 Ethernet network Card

The XXV710-DA1 is a single-port, 25-Gigabit Ethernet (25GbE) network interface card designed for enterprise servers and data centers

### P137 | PCIe 3.0 x8 10Gbps Network Adapter Quad port SFP+ Card

X710-DA4 4-Port 10Gigabit Ethernet Network Card Server Adapter PCIe 3.0x8 Network Adapter Quad port SFP+ with Intel XL710-BM1

### P138 | PCIe 3.0 x8 dual-port 10 Gigabit Ethernet (10GbE) network Card

The X710-DA2 is a dual-port 10 Gigabit SFP+ PCIe convergence network adapter built for high-performance servers, network virtualization, and data centers.

### P139 | PCIe 3.0 x8 10Gbps 4-Port RJ45 Network Card

X710-T4 Ethernet Converged Network Adapter provides broad interoperability, critical performance optimizations and increased agility for Telecommunications, Cloud, and Enterprise IT network solutions.

### P140 | PCIe 2.0 x8 10 Gigabit fiber network interface Card

X520-LR1 (E10G41BFLR) network adapter is to provide high-speed, long-distance 10GbE connectivity for enterprise servers, storage appliances, and data center networks.

### P141 | PCIe 3.0 x8 dual-port 10GbE BASE-T network Card

X710-T2L is designed for enterprise data centers, cloud deployments, and server connectivity. It features multi-rate auto-negotiation (NBASE-T) and an energy-efficient design.

### P142 | PCIe 3.0 x4 single-port 10GBASE-T RJ45 network Card

X550-T1 is designed for servers and workstations to deliver 10 Gbps speeds over standard copper ethernet cables, featuring broad backward compatibility and multi-gigabit support.

### P143 | PCIe 2.1 x8 dual-port 10Gbps RJ45 network Card

X540-T2 delivers up to 10 Gbps speeds over standard Cat6 or Cat6a cabling. It remains a staple choice for enterprise servers, home labs, and budget-conscious NAS upgrades.

### P144 | PCIe 2.0 x8 dual-port 10 Gbps SFP+ network Card

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

E10G42BFLR X520-LR2 is a high-performance 10GBASE-LR long-range single-mode fiber network card for enterprise servers and data centers

### P145 | PCIe 2.1 x8 single-port 10Gbps RJ-45 Ethernet Card

X540-T1 is widely used to upgrade servers, workstations, and network-attached storage devices from standard Gigabit speeds to 10 Gigabit using traditional copper lines

### P146 | PCIe 2.0 x8 Dual-Port 10Gbps SFP+ Server Card

X520-DA2 is a popular dual-port 10Gbps SFP+ PCI Express server network card used to upgrade servers, NAS devices, and custom routers to high-speed.

### P147 | PCIe 2.0 x8 Singal-Port 10Gbps SFP+ Server Card

X520-DA1 allows a server, workstation, or NAS to connect to a high-speed 10-Gigabit Ethernet network using a single slot.

### P148 | PCIe 2.0 x8 dual-port 10Gbps SFP+ SR network Card

X520-SR2 provides a total bandwidth of up to 20Gbps for high-throughput environments, professional-grade for enterprise servers and data centers over fiber optic cabling.

### P149 | PCIe 2.0 x8 single-port 10Gbps SFP+ SR network Card

X520-SR1 provides single-port 10Gbps SFP+ designed for enterprise servers and high-performance workstations.

## Test & Measurement Instruments

---

### P150 | USB Digital Microscope 1600X

This digital microscope camera delivers sharp, high-definition imaging with magnification up to 1600X, ideal for detailed soldering and electronics repairs.

### P151 | Carbon Monoxide Alarm Detector

Battery Operated Carbon Monoxide Alarm, digital LCD Display shows real-time monitoring of carbon monoxide (CO) concentration levels in the air.

## Computer Peripherals & Expansion

---

### P152 | 1 to 5 Splitter 5 Way 4-pin PWM Fan PS Extension Cable

It allows you to connect up to five computer cooling fans to a single 4-pin fan header on your motherboard for synchronized PWM speed control.

### P153 | 10 Pin Female to Type E Female adapter

It is a quick and economic solution when there is no Type-E header on motherboard but the PC case has USB-C front Panel

### P154 | 10 Pin Male to 20 Pin Female USB 3.0 16cm Cable

Enable your USB 2.0 device connected the USB 3.0 20pin motherboard.

### P155 | 20 Pin Header to USB 3.0 20 Pin Dual Ports Female GL3510 Adapter

It splits a single internal motherboard USB 3.0 header into multiple outputs.

### P156 | 20 Pin Header to Dual USB3.0 Female Cable 50cm

Motherboard USB 3.0 20-Pin Header Extension Cable to dual USB 3.0 Female port with data transfer speed up to 5Gbps

### P157 | 20 Pin Header to Type E Female Adapter

It used to convert the USB3.0 (20pin) connector available on the motherboard to Type E Female Front Panel Connector

### P158 | 20 Pin MB to USB-C Single Port 5Gbps Bracket Cable

It transforms a standard internal USB 3.0 20-pin header into a modern external USB-C port located on the rear PCIe expansion slots of your PC case.

## Service Instruments & Tools

---

### P159 | 250pcs Flat Head Screws Kit

Includes 10 different specifications (M2 and M3 sizes) with 25 pieces each.

## Audio, Speakers & Video Equipment

---

### P160 | 26"-63" TV Wall Mount Bracket

Fits most 26" to 63" flat panel TVs, supports VESA standard patterns including 75x75mm, 100x100mm, 200x200mm, and 400x400mm.

## Test & Measurement Instruments

---

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

### P161 | 5.5-inch HD LCD screen 1000X Microscope

1000X microscope is a popular tool for electronics repair (such as phone motherboard and PCB soldering), coin collecting, jewelry inspection, and educational science exploration.

## Service Instruments & Tools

---

### P162 | 500pcs Flat Head Screws Kit

This is a KM Flat Head Micro Screws Kit containing a total quantity of 500 pieces of black precision screws.

## Audio, Speakers & Video Equipment

---

### P163 | 5-inch Sereen Digital Film Scanner

This standalone device digitizes old film negatives and slides directly to internal memory or an SD card without needing a computer.

## Computer Peripherals & Expansion

---

### P164 | 9 Pin Header Female to Dual 9 Pin Male Adapter

It is designed to expand a single USB 2.0 9-pin header on motherboard into two separate 9-pin headers

### P165 | USB2.0 A Female to RJ45 Ethernet Male AF-8P8C Connector

This adapter one end RJ45 male can only be inserted in the computer's RJ45 network jack, the other end USB2.0 female connected to a USB port of the dialer or router

### P166 | Aluminum heatsink for 2280 SSD

SSD heatsink M.2 nvme greatly increases the heat dissipation area with 10°C - 25°C cooling effect to a safe temperature quickly and improving the performance.

### P167 | M.2 NVMe 2280 SSD Aluminium Heatsink

It is designed to absorb and dissipate heat from high-speed M.2 SSDs to prevent thermal throttling and maintain peak storage performance.

### P168 | HD Audio Front Panel Extension 9 Pin to Dual 9 Pin Cable

Effectively splits one motherboard audio header into two and provides front panel audio and microphone inputs for two separate positions. Ideal for multi-case setups or test boards.

## Test & Measurement Instruments

---

### P169 | ATX Power Supply Tester

The power supply tester is a robust voltage tester for PC-power supplies of ATX, BTX, and ITX.

## Computer Peripherals & Expansion

---

### P170 | PC Case Red Green LED Lamp ATX Power Supply Reset Cable

Ideal as a replacement for your old or damaged ATX Power On Supply Reset Switch. Works with most desktop computer host cases with front panel button.

## Audio, Speakers & Video Equipment

---

### P171 | Digital to Analog Audio Converter

Convert digital optical coaxial toslink to analog RCA L/R and 3.5mm Jack audio.  
Support 2-channel uncompressed LPCM digital audio signal outputs.

### P172 | Portable Photo Studio Top Light Box

30\*30cm portable studio light box which equipped with two powerful LED light strip. It is made from PP plastic, waterproof, crease resistant & easy to clean.

## Computer Peripherals & Expansion

---

### P173 | PCIe 2S Port WCH382 Card

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

PCIe expansion card used to add 2 x RS-232 serial ports to a modern desktop computer

### **P174 | PCIe 4S Port AX99100 Card**

PCIe expansion card that adds four RS-232 serial (COM) ports to your desktop PC.

### **P175 | PCIe USB3.0 4 Port VL805 Card**

PCIe expansion card that adds 4 high-speed USB 3.0 ports (5Gbps) to your computer.

### **P176 | M.2 SSD 2280 Copper Heatsink**

High-performance copper heatsink for M.2 SSD with 2mm thickness to efficiently dissipate heat.

### **P177 | DB9 Male COM Port X 2 Bracket Cable**

Provides two DB9 male COM ports for expanding RS232 connectivity on your motherboard.

## Audio, Speakers & Video Equipment

---

### **P178 | Display Port Male to DVI Female 20cm Cable**

A short 20cm cable used to connect a computer or graphics card with a Display Port output to a monitor or projector that uses an older DVI 24+1 input.

### **P179 | Display Port Male to HDMI Female 20cm Cable**

Display Port to HDMI adapter connects a computer with DP/DP++ port to a monitor, display, screen, projector, TV, HDTV, VR headset with HDMI port to get clear video with flawless audio pass-thru.

### **P180 | Display Port Male to VGA Female 20cm Cable**

Display Port to VGA Adapter provides an easy and cost-effective solution for connecting a newer desktop or laptop computer to older VGA (15-pin D-Sub) video display.

### **P181 | Display Port Male to HDMI Male 2M Cable**

This cable enables you to connect the DP source device to HDMI port displays, monitors, projectors; only works display port output to HDMI input, not the other way around.

### **P182 | Dual Monitor Desk Mount**

Adjustable Dual Monitor Arm for 2 Computer Screens up to 27 inch, Dual Gas Spring Monitor Arm, Holds up to 10kgs each, VESA 75x75/100x100mm.

## Computer Peripherals & Expansion

---

### **P183 | Type E Motherboard to USB-C 10Gbps Bracket Cable**

It allows you to route an internal motherboard front-panel USB 3.2 Key-A/Type-E internal header to the back of your computer case as a fully standard external USB Type-C port.

### **P184 | Type E Motherboard to USB-C 2 Port 10Gbps Bracket Cable**

It converts dual internal USB3.2 Type-E (Key-A) motherboard headers into bracket dual USB-C ports.

### **P185 | 20 Pin Header Motherboard to USB-C Bracket Cable**

Converts an internal motherboard 19-pin header into an external USB Type-C port in 5Gbps.

### **P186 | Type E Motherboard to USB-C 20Gbps Bracket Cable**

Converts an internal motherboard Type-E header into an external, USB 3.2 Gen 2x2 (20Gbps) speed USB-C port.

## Test & Measurement Instruments

---

### **P187 | Combustible Gas Detector**

It detects and locates flammable gas leaks (like methane or propane) using a flexible probe, ticking sounds, and LED indicators.

## Computer Peripherals & Expansion

---

### **P188 | 5.25-inch Disk Front Bay for 3.5-inch HDD Drive**

This bracket adapts combination of 2.5-inch SSDs or 3.5-inch HDDs into a computer's larger 5.25-inch optical drive bay.

## Audio, Speakers & Video Equipment

---

### **P189 | HDMI Male to Dual HDMI Female 1 to 2 Way Adapter Cable**

This HDMI splitter clones a single video source to display the exact same mirrored image onto two screens simultaneously.

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

### P190 | Bi-directional HDMI switcher between multiple devices

Supports 2-in-1-out mode (switches two video sources to one screen) or 1-in-2-out mode (switches one video source to two separate screens, though not simultaneously).

### P191 | HDTV 4-Port HDMI Splitter

It takes HDMI V1.4 a single video source and duplicate it across four separate screens simultaneously.

### P192 | HDMI to AV Composite Video Audio Converter

It converts HDMI video and audio signals to normal CVBS(AV) composite signals (standard-definition 480i, 576i) as older TVs, VHS VCRs, DVDs, and HDTV recorders.

### P193 | HDMI to USB-C 2 Meter Cable with USB Power

This HDMI-compatible to C Type Cable delivers stunning 4K60Hz video output, ensuring crisp, clear visuals for gaming, streaming, and multimedia on compatible devices.

### P194 | HDMI to USB 3.0 Video Capture Adapter

Converts video signals from cameras, consoles, or computers into digital data for live streaming, recording, and video conferencing.

### P195 | 5V/1A 4Kx2K 1-in-8-out HDTV splitter

This HDMI splitter duplicates one video input signal and distributes it simultaneously to eight separate high-definition displays without loss.

## Mobile Phone & Telecom Accessories

---

### P196 | Universal Car Mount Holder Desk Stand for 7-10 inch

This heavy-duty suction mount securely holds 7-10 inch tablets or Phones on windshields or dashboards for hands-free navigation.

## Computer Peripherals & Expansion

---

### P197 | 10 Pin Header Male 1 to 2 Female Extension Cable Card

Expands a motherboard's single 10pin internal USB 2.0 header into 2 X 10 Pin ports

### P198 | 10 Pin Header Male 1 to 4 Female Extension Cable Card

Expands a motherboard's single 10pin internal USB 2.0 header into 4 X 10 Pin ports

### P199 | 10 Pin Header into two USB Type-A Female Ports

Converts internal motherboard 10 pin header into two standard USB Type-A ports inside the PC case.

## Mobile Phone & Telecom Accessories

---

### P200 | Amplitube iRig from IK Multimedia for iPhone

Amplitube iRig connects your guitar to smartphones or tablets, allowing real-time effects processing, recording, and headphone monitoring.

## Computer Peripherals & Expansion

---

### P201 | USB-A 2.0 Male to Female Panel Mount Socket 50cm Cable

An extension cord featuring a standard male plug on one end and a screw-down female socket on the PC cases, industrial equipment, or desk faceplates

### P202 | USB-A 3.0 Male to Female Panel Mount Socket 50cm Cable

An extension cord that allows you to easily route a USB-A port through a cabinet, dashboard, or wall plate

### P203 | USB-C Male to Female 20Gbps Panel Mount Socket 30cm Cable

20Gbps USB-C locking cable ensures fast and stable data transfer, ideal for high-performance devices requiring reliable connectivity and quick file synchronization

### P204 | USB-4 Male to Female 40Gbps Panel Mount Socket 30cm Cable

Ear screw fixed panel cable supports 8K 60Hz video output and up to 240W power delivery, ensuring fast data transfer and reliable charging for high-performance devices

## Network & Connectivity Products

---

### P205 | PCIe 4.0 x16 ConnectX-6 VPI 200Gbps InfiniBand & Ethernet Adapter Card

MCX653106A-HDAT provides 2 ports of 200Gb/s for InfiniBand and Ethernet connectivity, sub-600ns latency and 215 million messages per second,

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

enables the highest performance aimed at data center applications.

### P206 | PCIe 4.0 x16 ConnectX-6 Dual Ports of 100Gbe QSFP56 network Card

MCX623106AN-CDAT is a high-performance network interface card designed for cloud, secure data centers, and enterprise workloads, it delivers ultra-low latency, up to 215 million messages per second

### P207 | PCIe 3.0 x16 ConnectX-5 VPI 100Gbps dual-port QSFP28 network Card

MCX556A-ECAT delivers 100Gb/s dual-port EDR InfiniBand or Ethernet connectivity with RDMA offloads and sub-600ns latency for high-performance computing.

## Computer Peripherals & Expansion

---

### P208 | USB-A 2.0 Male to Female Dual Port Panel Mount Socket 50cm Cable

An extension cord featuring 2 standard male plugs on one end and 2 screw-down female sockets on the PC cases, industrial equipment, or desk faceplates

### P209 | USB-A 3.0 Male to Female Dual Port Panel Mount Socket 50cm Cable

An extension cord that allows you to easily route 2 USB-A port through a cabinet, dashboard, or wall plate

## Mobile Phone & Telecom Accessories

---

### P210 | PC Clear Ultra-thin Strong Magnetic iPhone Case

This ultra-thin clear PC case preserves your phone's original beauty while providing strong magnetic hold for effortless MagSafe charging.

## Audio, Speakers & Video Equipment

---

### P211 | Display Port to USB-C 8K@60Hz Bi-direction 1.8M Cable

This cable functions by converting USB-C video signals into DisplayPort format, enabling stable 8K@60Hz bi-directional display transmission.

## Service Instruments & Tools

---

### P212 | Digital Inductive Tach Hour Meter

A tool for professionals and enthusiasts alike, this Digital Inductive Tachometer & Hour Meter is designed to enhance the performance and maintenance of your engines and equipment. With advanced features tailored for precision and ease of use, this device ensures you keep your engines running smoothly.

## Computer Peripherals & Expansion

---

### P213 | M.2 M-Key to dual USB3.0 20pin Card

For M.2 NGFF NVME to Dual USB3.0 19pin Header Expansion Card; Data transfer rate up to 5Gbps

## Network & Connectivity Products

---

### P214 | WIFI 6 Router 3000Mbps 5Ghz/2.4Ghz Dual Band

Ultra-Fast Wi-Fi 6 Performance Experience lightning-fast speeds with up to 3000Mbps total Wi-Fi throughput, combining 600Mbps on 2.4GHz and 1300Mbps on 5GHz for seamless streaming and gaming.

## Computer Peripherals & Expansion

---

### P215 | M.2(NGFF) SATA B+M Key SSD to SATA III Adapter Card

This adapter is integrated into a 2.5" drive-format case, allowing you to protect the SSD and mount the whole unit "cleanly" in your computer.

### P216 | M.2(NGFF) SATA B+M Key SSD to SATA III Adapter with Metal Case

B+M Key Socket 2 M.2 NGFF (SATA) SSD to 2.5 SATA Adapter Card Adapter with Black Metal Case, supports the 22\*30 mm/22\*42 mm/22\*60 mm/22\*80 mm size of M.2 NGFF (SATA) SSD

## Mobile Phone & Telecom Accessories

---

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

### P217 | Micro SD/TF to MS Adaptor

It allows you to use standard microSD/TF card inside the device that require proprietary Memory Stick PRO Duo media

### P218 | Magnetic Mobile Phone Radiator

Magnetic/Back-clip 2 IN 1 structure, ensuring secure attachment to any phone without damaging the device or case, 4-Speed Adjustable Cooling levels, RGB Six Color Lights can be turned off.

## Network & Connectivity Products

---

### P219 | 3000Mbps Dual Band WiFi6 Mesh WiFi Broadband Router

Utilizing the high-performance MTK7981 + MTK7976 + MTK7531 chipsets, with a dual-core MIPS CPU and a maximum clock speed of 1.3GHz, supports IEEE802.11n/g/b/a/ac/ax, with a wireless data rate of up to 3000Mbps

## Audio, Speakers & Video Equipment

---

### P220 | Mini Display Port Male to DisplayPort Female Adapter

Compact adapter to connect a Mini DisplayPort/Thunderbolt device to a standard DisplayPort cable for high-definition video display

### P221 | Mini HDMI Male to HDMI Female Adapter

Compact adapter connecting Mini HDMI cameras or tablets to a standard HDMI cable for high-definition video and audio

## Computer Peripherals & Expansion

---

### P222 | Mini PCIe to USB2.0 Adapter

Converts a Mini PCIe slot into an internal USB2.0 port to connect wireless receivers or flash drives

### P223 | Mini USB Male To USB2.0 Female Angled 360 degree Rotating Adapter

Converts a Mini USB port into a standard USB port, rotating 360 degrees to connect peripherals in tight spaces

## Audio, Speakers & Video Equipment

---

### P224 | Mini DP Male to HDMI Male cable 1.8M

It transmits video and audio from a Mini DisplayPort computer source to an external HDMI monitor or television

### P225 | Mini DP Male to DVI Female adapter 20cm

This is a short converter cable used to link a Mini DP or Thunderbolt 1/2 port on a laptop or PC to an external monitor or projector that uses a DVI cable

### P226 | Mini DP Male to HDMI Type A Female adapter 20cm

Converts Mini DisplayPort output to HDMI female port via a 20cm cable, enabling video connection from laptops to monitors

### P227 | Mini DP Male to VGA Female adapter 20cm

It connects a Mac or PC with a Mini DP (or Thunderbolt 2) output to an older VGA monitor or projector using a separate VGA cable

## Test & Measurement Instruments

---

### P228 | Gas Leak Alarm System

Detects natural and liquefied gas leaks, sounds a loud alarm, and sends real-time smartphone notifications via 2.4GHz Wi-Fi

## Computer Peripherals & Expansion

---

### P229 | M.2 2280 NVMe/NGFF SSD aluminum heatsink

Dissipates heat from an M.2 SSD using aluminum cooling fins and thermal pads to prevent thermal throttling

### P230 | PCIe 1 LPT Port WCH382 Card

It adds one LPT parallel port to a desktop computer via a PCIe slot to connect older printers or CNC machines

### P231 | PCIe x16 Male to Female Extension Cable 18cm

It extends a PCIe x16 slot on a motherboard, allowing flexible or vertical relocation of a graphics card

### P232 | PCIe 3.0 x16 Male to Female 90° 20cm Cable

**Supergold Corporation Limited - Wholesale Product Catalog**

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

Connects a graphics card to a motherboard remotely, enabling vertical mounting or flexible placement inside a computer case

**P233 | PCIe 3.0 x16 NVME Extended Riser Card**

Adapts an M.2 NVMe SSD to fit a standard motherboard PCIe slot, adding high-speed storage to a PC

**P234 | PCIe 4 Ports M.2 NVMe SSD Adapter Card**

It adapts a PCIe x16 slot to connect 4 high-speed M.2 NVMe SSDs for expanded storage and faster data transfers

**P235 | USB-C 7 in 1 Docking Station**

USB3.1\*1  
USB2.0\*1  
USB-C PD\*1  
USB-C data\*1 (USB2.0)  
Card Reader SD\*1 / TF\*1  
HDMI 4K 30Hz\*1

**P236 | USB-C 7 in 1 Docking Station**

USB3.1\*1  
USB2.0\*2  
USB-C PD\*1  
HDMI 4K 30Hz\*1  
TF reader\*1/SD reader\*1

**P237 | USB-C 7 in 1 Docking Station**

USB3.1\*3  
HDMI 4K 30Hz\*2  
PD100W\*1  
USB-C data\*1 (USB2.0)

**P238 | USB-C 7 in 1 Docking Station**

USB3.1\*3  
HDMI 4K 60HZ \*1  
PD100W\*1  
TF reader\*1 / SD reader\*1  
Button for HDMI on/off

**P239 | USB-C 7 in 1 Docking Station**

USB3.1\*2  
RJ45 1Gbps\*1  
PD100W\*1  
HDMI 4K 30Hz\*1  
TF reader\*1/SD reader\*1

**P240 | USB-C 7 in 1 Docking Station**

USB3.2\*2  
HDMI 4K 60Hz \*1  
RJ45 2.5Gbps \*1  
PD100W\*1  
TF reader\*1/SD reader\*1

**P241 | USB-C 7 in 1 Docking Station**

USB3.1\*3  
PD60W\*1  
HDMI 4K 30Hz\*1  
VGA\*1  
RJ45 1Gbps\*1

**P242 | USB-C 7 in 1 Docking Station**

USB3.1\*1  
USB2.0\*2  
PD60W\*1  
HDMI 4K 30Hz\*1  
VGA\*1  
RJ45 100Mbps \*1

**P243 | USB-C 7 in 1 Docking Station**

USB3.1\*1  
USB2.0\*1

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

HDMI 4K 30Hz\*1  
TF reader\*1/SD reader\*1  
USB-C data\*1 (USB2.0)  
PD60W\*1

### P244 | USB-C 15 in 1 Docking Station

TF/SD 3.0 card reader\*1  
USB-A 5Gbps\*1 USB-A 10Gbps\*2  
USB-C 5Gbps\*1 USB-C 10Gbps\*1  
3.5mm Audio\*1  
PD 100W\*1  
USB2.0\*2  
HDMI \*2 DP\*1 (4K60Hz\*2+2K60Hz\*1)  
RJ45 1Gbps \*1

### P245 | USB-C 13 in 1 Docking Station

TF/SD 2.0 card reader\*1  
USB-A 5Gbps\*3 USB-C 5Gbps\*2  
3.5mm Audio\*1  
PD 100W\*1  
HDMI 4K30Hz\*2 VGA\*1  
RJ45 1Gbps\*1

### P246 | USB-C 15 in 1 Docking Station

TF/SD 3.0 card reader\*1  
USB-A 5Gbps\*1 USB-C 5Gbps\*1  
USB-A 10Gbps\*2 USB-C 10Gbps\*1  
3.5mm Audio\*1  
PD 100W\*1  
USB2.0\*2  
HDMI\*3 (4K60Hz\*2+2K60Hz\*1)  
RJ45 1Gbps\*1

### P247 | USB-C 13 in 1 Docking Station

TF/SD 2.0 card reader\*1  
USB-A 5Gbps\*4 USB-C 5Gbps\*2  
3.5mm Audio\*1  
PD 100W\*1  
HDMI 4K30Hz\*1 VGA\*1  
RJ45 1Gbps\*1

### P248 | USB-C 15 in 1 Docking Station

TF/SD 2.0 card reader\*1  
USB-A 5Gbps\*7 USB-C 5Gbps\*2  
3.5mm Audio\*1  
PD 100W\*1  
HDMI 4K30Hz\*1  
RJ45 1Gbps\*1

## Mobile Phone & Telecom Accessories

---

### P249 | Tablet Magnetic & Back-clip Cooling Radiator

This tablet radiator delivers powerful cooling using semiconductor refrigeration and large fans, featuring AI smart temperature control powered via QC/PD protocol

## Computer Peripherals & Expansion

---

### P250 | NGFF M.2 to USB3.0 PCIe Riser Card

It converts an M.2 slot into a USB 3.0 port to connect graphics cards via riser cables, mostly used for cryptocurrency mining rigs

### P251 | PCIe 4.0 X8 2 Port U.2 SFF-8639 Card

This PCIe bifurcation adapter allows installing two 2.5-inch U.2 NVMe SSDs or SATA drives into one PCIe x8 slot. It requires motherboard BIOS PCIe x4+x4 split support.

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

### P252 | PCIe ASM1061 2+2 SATAIII Port Card

It provides two active channels, switchable via onboard jumpers between two internal SATA III or two external eSATA ports

### P253 | PCIe ASM3242 USB3.2 Gen 2x2 20Gbps Type-C Card

This PCIe expansion card uses an ASMedia ASM3242 controller to add a high-speed USB Type-C port via a PCIe Gen3x4 slot, delivering data transfer rates up to 20Gbps

### P254 | PCIe M2 NVME SSD Adapter NGFF (M Key) & M.2 SATA SSD (B Key) Card

This PCIe expansion card allows simultaneous installation of one M.2 NVMe SSD (M-Key) via the PCIe x4 slot and one M.2 SATA SSD (B-Key) via the included SATA cable.

### P255 | PCIe SATA III 6Gbps 6 Port Card

This PCIe expansion card adds six internal SATA III ports to a PC via a PCIe slot, enabling the connection of up to six extra high-speed HDDs or SSDs.

### P256 | PCIe SATA III 6Gbps 8 Port Marvell 9215 Card

This PCIe expansion card utilizes Marvell 9215 chipsets and multipliers to add eight internal SATA III ports via a PCIe slot, allowing connection of up to eight extra storage drives.

### P257 | PCIe USB3.1 Type C 2Port 10Gbps ASM1142 Card

PCIe expansion card uses ASM1142 controller to add two external 10Gbps USB Type-C ports via a PCIe slot, requiring a SATA power connector for stable delivery

### P258 | PCIe to Internal Type E Port 20Gbps Card

PCIe expansion card adds an internal USB 3.2 Key-A (Type-E) front-panel header to a PC via a PCIe x4 slot, enabling full 20Gbps data transmission

## Service Instruments & Tools

---

### P259 | USB Adjustable Dual Head Car Fan

Suitable for various types of vehicles with 3 levels of wind speed, adjustable cooling with rotation design for targeted airflow to different car seats

## Audio, Speakers & Video Equipment

---

### P260 | USB/XLR Dynamic Microphone Kit

Microphone is equipped with USB and XLR dual interfaces which offers versatility to suit your streaming/gaming needs. Plug-and-play when you are recording with a desktop or a laptop by using the USB cable directly. Connects to audio interface, mixer, or other professional device with ease via XLR

## Network & Connectivity Products

---

### P261 | 2MP WiFi Smart CCTV Outdoor Wireless Video Surveillance PTZ Camera

Equipped with a 2MP sensor and 1080P Full-HD resolution, this outdoor IP camera delivers clear, detailed video for reliable home surveillance with sharp image quality

### P262 | Triple-Lens PTZ Outdoor Security Camera

Capture crystal-clear footage with 8 Megapixels resolution and 4K output, ensuring every detail is visible even in low-light conditions for superior home and outdoor security

### P263 | Multi-lens Outdoor PTZ Security Camera

It features a multi-directional visual array including two fixed side lenses and a central pan-tilt-zoom (PTZ) camera base designed to eliminate blind spots.

### P264 | Quad-lens Panoramic Zoom Outdoor Security Camera

Equipped with two fixed side-wing cameras, a central fixed overview camera, and a primary bottom pan-tilt-zoom (PTZ) rotating dome camera.

### P265 | 3MP FHD 1080P Smart 4 Lights Night Vision Waterproof Bullet Camera

This outdoor security camera captures high-definition video, provides night vision via infrared LEDs, detects motion to trigger alerts, and connects wirelessly to Wi-Fi for remote smartphone monitoring.

### P266 | Outdoor Wi-Fi security camera features 2K resolution & dual antennas

It monitors outdoors, provides 2K video, captures full-color night vision, detects human movement, sends alerts, and enables real-time two-way communication via its smartphone app.

## Service Instruments & Tools

---

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

### P267 | USB Heated Gloves

This USB heated gloves connect to a power source to warm your hands. Internal elements distribute heat evenly across fingers and palms, making them ideal for winter outdoor activities.

### P268 | Rechargeable Heated Gloves

This rechargeable heated gloves provide full-hand warmth. Integrated heating elements wrap around the fingers and back of the hand, delivering adjustable temperature settings for cold-weather activities.

### P269 | Extendable 32W LED Working Lamp

Provides shadowless, eye-caring brightness with 3-color modes and 10-level dimming on an adjustable, retractable swing arm, perfect for professional salon work, reading, and precise technical crafting.

### P270 | Wide Shade LED Desk Lamp with Base

This adjustable LED desk lamp provides wide-area, shadowless, eye-caring illumination. It features an adjustable swing arm, multi-level dimming, and color temperature controls for tasks like reading, crafting, or nail tech styling

## Mobile Phone & Telecom Accessories

---

### P271 | Waterproof Bone Conduction Bluetooth Headphone

The bone conduction headphones deliver audio through cheekbone vibrations while leaving ears open. They feature IPX8 waterproofing for swimming, built-in MP3 storage, and Bluetooth connectivity for wireless audio

## Service Instruments & Tools

---

### P272 | Smart Sensor LED Makeup Mirror

This smart mirror uses a proximity sensor to light up automatically as you approach. Its high-accuracy True-Lux LED system replicates natural sunlight for flawless skincare and precision makeup application.

### P273 | LED 9W Waterproof Adjustable Long Arm Machine Work Light

This Work Light LED is designed for use with milling machines, drilling machines, grinders, and sawing machines, providing reliable illumination for precision tasks in industrial environments.

## Audio, Speakers & Video Equipment

---

### P274 | Neckband Bluetooth Speaker

Wearable Neckband Speaker 3W X 2 Bluetooth 5.0 Hands-Free Ear-Free for TV Gaming Home Outdoor TF Card Support

### P275 | 4K HDMI Audio Extractor

Connect the HDMI signal source to a single HDMI display device (such as a TV, projector) and output stereo + SPDIF signals independently to achieve the audio signal synchronous separation of HDMI signals

### P276 | XLR Audio Cable Male to Female 2M long

An XLR cable connects microphones to audio equipment like mixers or interfaces, transferring balanced audio signals while reducing background noise and safely carrying phantom power

## Service Instruments & Tools

---

### P277 | EU Plug Tower Power Strip 12 AC Power Outlets 2 USB A and 2 USB C Ports with Night Light

This vertical power tower provides 12 AC outlets and 4 USB ports (including PD 20W) for space-saving charging, plus an integrated adjustable nightlight and built-in surge protection.

### P278 | 3000LM Magnetic Work Light USB-C Rechargeable 18650 Battery

This separable, splicable mechanic light snaps together into a long hood bar or splits into two magnetic COB flashlights, offering red SOS strobes and hands-free illumination.

### P279 | Multiple EU Vertical Power Strip with 12 AC 6 USB

Provides 12 AC outlets and 6 USB ports to charge 18 devices simultaneously. Features surge protection safety indicators and individual layer switches for efficient power management.

## Mobile Phone & Telecom Accessories

---

### P280 | Bluetooth Hands-free Car Speakerphone

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

This visor speakerphone features one-touch hands-free calling, dual-phone simultaneous pairing, auto-power on via vibration sensors, and DSP noise reduction for clear, wire-free in-car conversations.

### Service Instruments & Tools

---

#### P281 | Multi-Connection Thermal Label Printer

This thermal receipt/shipping label printer features triple connectivity (Bluetooth, Wi-Fi, and USB). It offers cross-platform compatibility to print wirelessly or wired from Windows laptops, iPhones, and Android devices.

### Audio, Speakers & Video Equipment

---

#### P282 | 48MP 7-inch LCD Film Slide Scanner

This device digitizes 135mm, 126, 110, and Super 8 films and slides into 48MP digital photos, featuring standalone scanning via a 7-inch LCD screen without computers

#### P283 | Bone Conduction Speaker

This bone conduction speaker utilizes high-frequency vibrations to turn any hollow surface into a custom loudspeaker while supporting TWS dual-pairing and convenient Type-C fast charging.

#### P284 | 2-in-1 Magnetic Bluetooth Speaker

The 2-in-1 magnetic speaker splits into two independent units for true wireless stereo (TWS) sound, features vibrant RGB lighting, provides robust Bluetooth connectivity, and offers up to 6 hours of portable playback.

### Computer Peripherals & Expansion

---

#### P285 | PCIe to Type-E A Key & USB 3.0 20Pin u720201 with SATA Power Card

It adds internal USB 3.0 (19-pin) and Type-E headers to a motherboard via a PCIe slot, allowing you to connect modern front-panel USB ports.

#### P286 | PCIe to USB 3.0 2 Port ASM1042 Card

It adds two external USB Type-A ports to a desktop PC via a PCIe slot, using a SATA connection to power connected accessories.

#### P287 | PCIe USB3.2 10Gbps Type A+C 2Port ASM1142 Card

It adds one external USB Type-A port and one external USB Type-C port to a desktop PC, providing high-speed 10Gbps data transfers via a PCIe slot.

#### P288 | PCIe USB3.2 X 2 Port 10Gbps ASM1142 Card

This PCIe expansion card adds two high-speed USB 3.2 Type-A ports to a desktop PC. It delivers 10 Gbps data transfer speeds and includes onboard auxiliary power.

#### P289 | PCIe VIA 6315 4 Port 1394A card

This PCIe expansion card adds four FireWire 400 (1394a) ports to a desktop PC, allowing fast 400 Mbps data transfers for legacy DV camcorders and audio interfaces.

### Service Instruments & Tools

---

#### P290 | E27 Bulb Light Socket Extender 39.5cm Adapter

E27 to E27 flexible extenders allow 360-degree rotation and bending to adjust lighting angles. They easily screw into standard sockets to extend light bulbs from 19.5cm to 59.5cm.

#### P291 | Electric Shoe Dryer with UV Light Sterilization

This is a portable electric shoe dryer featuring 360° heat dissipation, constant temperature heating, and ultraviolet (UV) or purple light sterilization.

### Computer Peripherals & Expansion

---

#### P292 | PCIe X1 to To PCI ASM1083 Riser Card

This adapter bridges hardware eras by converting a modern motherboard's PCI Express x1 slot into a legacy PCI slot, allowing older sound, capture, or industrial cards to function.

#### P293 | PCIe USB 3.0 2+2 (20 Pin) Card

This PCIe x1 expansion card adds two external USB-A ports and one internal blue 19-pin header to a modern motherboard, enabling additional high-speed desktop USB connectivity.

#### P294 | PCIe 2S Port AX99100 Card

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

This PCIe x1 expansion card adds two legacy RS-232 COM (DB9) serial ports to a desktop computer, allowing connections to industrial machinery, PLC systems, printers, or scanners.

### P295 | Silicone Anti Dust Plug Cover (13pcs)

These plugs block dust, moisture, and debris from entering unused laptop ports. They prevent corrosion, stop lint buildup, and keep your internal hardware clean to ensure reliable device connectivity.

### P296 | 1-to-10 Port 4-pin PWM Computer Cooling Fan Hub Splitter

This hub powers up to ten PC fans via SATA while synchronizing their speeds through a single motherboard PWM connection, preventing port overload and ensuring efficient system cooling.

### P297 | Bidirectional IDE to SATA Converter Card

This adapter bidirectionally converts signals between older IDE and newer SATA storage devices, allowing legacy hard drives to connect to modern motherboards, or modern drives to legacy systems.

## Network & Connectivity Products

---

### P298 | Wireless Wi-Fi Light Bulb Security Camera

This wireless camera screws into a standard light socket for power, delivering 360-degree room surveillance, remote pan-tilt controls, motion-activated recording, and night vision directly to your smartphone app.

## Computer Peripherals & Expansion

---

### P299 | USB Smart Card Reader

This device is an external USB smart chip card reader. It connects via an attached USB-A cable to read electronic data from contact-based chip cards.

### P300 | USB 1.44MB FDD

This portable drive reads and writes legacy 3.5-inch 1.44MB floppy disks using a plug-and-play USB connection, allowing modern computers to access vintage files and data without external power.

## Network & Connectivity Products

---

### P301 | SMA Female Single-end Connector Solder Pigtail RG178 Cable 50ohm (18cm)

This cable connects an external antenna to an internal circuit board, transmitting RF signals by bridging the chassis-mounted SMA connector directly to a soldered PCB interface.

## Service Instruments & Tools

---

### P302 | 2-in-1 Magnetic Split Rechargeable Hand Warmer

This magnetic rechargeable hand warmer splits into two independent units to heat both hands at once. It provides portable, adjustable warmth and doubles as a backup power bank.

## Audio, Speakers & Video Equipment

---

### P303 | Bluetooth 6.0 Audio Receiver

The wireless audio receiver streams music from smartphones to wired stereos. It features Bluetooth connectivity, USB playback, a microphone input, and volume controls for upgraded home audio setups.

## Computer Peripherals & Expansion

---

### P304 | USB3.0 20pin Header 1 to 2 Extension 20cm Cable

It splits one internal motherboard USB 3.0 header into two, allowing you to connect multiple front-panel ports or internal USB devices when motherboard connections are limited.

### P305 | 12VHPWR to 3x8 Pin Adapter-12+4Pin GPU Power Cable

It adapts 3 standard 8-pin PCIe power cables from a power supply into a single 12VHPWR connector to deliver up to 600W of stable power to high-end GPUs.

### P306 | DisplayPort 2.1 VESA 80Gbps Male to Male Gaming Monitor 2M Cable

Transfers ultra-high bandwidth data up to 80Gbps between DP-enabled sources and displays to seamlessly support advanced resolutions like 16K/8K and extreme gaming refresh rates.

## Mobile Phone & Telecom Accessories

---

### **P307 | All-in-One Wall Travel Charger Adapter**

This universal travel adapter converts different wall plug types, outputs power up to 20W, and features one Type-C port alongside two USB ports for charging multiple devices simultaneously.

## Computer Peripherals & Expansion

---

### **P308 | 4-in-1 USB-C to Dual HDMI & PD Adapter**

This USB-C to Dual HDMI MST adapter connects two external monitors to show different extended screens while powering your laptop via its PD charging port.

### **P309 | 4K Auto Focus USB Webcam**

This 4K AF external webcam features ultra-high-definition video streaming, fast automatic focusing, integrated dual noise-canceling microphones, and a flexible clip base for plug-and-play video conferencing.

## Service Instruments & Tools

---

### **P310 | Full HD 4MP GC4083 Fixed Focus USB2.0 Camera Module**

Captures 4MP video up to 30fps, compresses hardware via H.264/H.265, records built-in microphone audio, and connects plug-and-play via UVC USB for real-time streaming and parameter control.

## Mobile Phone & Telecom Accessories

---

### **P311 | Smartphone Cooler with Car Mount**

It actively cools your smartphone using built-in semiconductor technology to prevent overheating, while securely mounting it to your vehicle's dashboard, windshield, or air vent during navigation

### **P312 | Smartphone Dual Fan Cooler**

It uses dual cooling fans and semiconductor technology to actively lower your smartphone's temperature, preventing overheating and lag for navigation

## Computer Peripherals & Expansion

---

### **P313 | SO-DIMM to Desktop DDR4 Adapter**

It converts a laptop DDR4 RAM (SO-DIMM) into a standard desktop DDR4 format, allowing you to use laptop memory sticks inside a regular desktop motherboard slot

## Mobile Phone & Telecom Accessories

---

### **P314 | Type C Endoscope HD 8mm camera 8 LED 2M Cable**

It captures real-time video of tight or hard-to-reach areas, feeding the image directly to your smartphone or PC via USB Type-C for pipes, engines, or hardware inspections

## Computer Peripherals & Expansion

---

### **P315 | Type C to Dual HDMI 4K@60Hz Adapter**

This USB-C to dual HDMI adapter streams movies and games from your MacBook or host device, expanding your workspace onto two screens simultaneously for a stunning, clear big-screen experience.

### **P316 | Type E Motherboard to USB-C 20Gbps Low-profile Bracket Cable**

It extends an internal motherboard Type-E header into an external USB Type-C port on a desktop PC casing in low-profile's expansion slot, enabling 20Gbps data transfer

## Mobile Phone & Telecom Accessories

---

### **P317 | Universal holder for tablets and laptops**

It securely holds a smartphone or tablet above a desk using an adjustable spring-loaded scissor arm, providing stable, hands-free angles for

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

livestreaming, video recording, or overhead filming.

### Computer Peripherals & Expansion

---

#### **P318 | USB 2.0 Dual Port Standard Bracket**

It extends internal motherboard 9-pin USB 2.0 headers into two external USB Type-A ports on a desktop PC casing's rear expansion slot for connecting peripherals

#### **P319 | USB 2.0 Dual Port Low-profile Bracket**

It extends internal motherboard 9-pin USB 2.0 headers into two external USB Type-A ports on a desktop PC casing's Low-profile expansion slot for connecting peripherals

#### **P320 | USB 3.0 Dual Port Standard Bracket**

It extends an internal 20-pin motherboard header into two external USB 3.0 Type-A ports on a desktop PC's rear slot, providing high-speed 5Gbps data transfer

#### **P321 | USB 3.0 Dual Port Low-profile Bracket**

It extends an internal 20-pin motherboard header into two external USB 3.0 Type-A ports on a desktop PC's Low-profile expansion slot, providing high-speed 5Gbps data transfer

#### **P322 | USB 3.0 to HDTV Adapter**

It converts a standard USB 3.0 port into a HDMI output, enabling desktops or laptops to stream audio and video to an external monitor or HDTV for screen expansion

#### **P323 | USB Am to DC 4.0 x 1.7mm 1M cable**

It converts a standard USB Type-A port into a DC barrel plug output, supplying 5V power from chargers, power banks, or computers to small electronic devices

#### **P324 | USB Audio Adapter with 3.5mm Headphone & Microphone Jacks**

It adds external 3.5mm headphone and microphone ports to your computer via a standard USB Type-A port, serving as an easy replacement for a damaged motherboard audio jack

#### **P325 | USB Audio Adapter with 3.5mm Headphone & Microphone Jacks with Metal Case**

It adds external 3.5mm headphone and microphone ports to your computer via a standard USB Type-A port, serving as an easy replacement for a damaged motherboard audio jack

#### **P326 | USB Data Cable 2.54-4P To MX1.25-4P 50cm**

This cable converts a standard 2.54mm Dupont interface to a mini 1.25mm MX connector for data, power, or touch-screen signal transmission

### Network & Connectivity Products

---

#### **P327 | Dual Band Omni-Directional High Gain Outdoor WiFi Antenna 2.4 & 5.8 GHz**

This dual-band fiberglass antenna enhances Wi-Fi and wireless network coverage. It boosts signal strength and extends range across 2.4GHz and 5.8GHz frequencies for stable outdoor or indoor connectivity.

### Computer Peripherals & Expansion

---

#### **P328 | 2M C20+SDG400 power cable H05VV-F 3\*2.5MM²**

Connects server high-density PDU to power source, safely delivering 16A-20A high-power current with T-Latch anti-disconnect locking protection for critical data center infrastructure.

### Service Instruments & Tools

---

#### **P329 | Electric Projector Screen 100" White Fiberglass Motorized & Remote in 4:3**

This 100-inch 4:3 motorized screen features an electric tubular motor powered via a 2.5m cord, allowing smooth, automated roll-up and remote control operation from a distance.

### Audio, Speakers & Video Equipment

---

#### **P330 | 50M HDMI Wireless Transmitter and Receiver**

This wireless HDMI transmitter and receiver kit wirelessly streams audio and video from a PC to a TV up to 50 meters away using 2.4GHz/5.8GHz dual-band technology

## Network & Connectivity Products

---

### **P331 | Horizontal (Inline) Fiber Optic Splice Closure 144F Large D 2-in/2-out 46x18x10cm**

This 144-core horizontal fiber optic splice closure houses 6 splice trays to protect, organize, and seal fiber optic cable junctions in aerial, underground, or duct installations

### **P332 | Horizontal (Inline) Fiber Optic Splice Closure 144F (4-in/4-out) 427x180x125mm**

This 144F horizontal fiber optic splice closure organizes and protects cable splices outdoors, featuring a 4-in/4-out configuration and complete hardware accessories for secure underground or aerial sealing.

### **P333 | Network & Coaxial Cable Tester**

This 3-in-1 tool tests RJ45 Ethernet, RJ11/RJ12 telephone, and BNC coaxial cables for continuity, wiring shorts, crossovers, or open circuits using sequentially blinking LED indicator lights

### **P334 | USB to RJ45 Extension Adapter**

It extends USB device signals up to 150 feet by connecting a standard Ethernet cable (RJ45) between the computer and a peripheral like a mouse, keyboard, or printer.

## Computer Peripherals & Expansion

---

### **P335 | USB Fingerprint Reader**

It provides secure, password-free login and data encryption by scanning your fingerprint, integrating directly with Windows Hello to instantly unlock your computer or notebook.

### **P336 | USB Floppy Drive Emulator 1.44MB**

It replaces legacy 3.5-inch floppy drives by using a USB flash drive to store and emulate virtual floppy disks for older computers, musical keyboards, and industrial machinery.

## Audio, Speakers & Video Equipment

---

### **P337 | USB-Powered IR Remote Control Extender Repeater Cable**

It extends remote control range by receiving infrared signals at one end and blasting them to hidden audio/video equipment via a USB-powered repeater cable.

## Computer Peripherals & Expansion

---

### **P338 | USB to Printer port DB25 Female Cable**

It converts a standard USB port into a 25-pin parallel port, allowing modern computers to connect and print to legacy parallel printers, scanners, or industrial machinery.

## Audio, Speakers & Video Equipment

---

### **P339 | USB to RCA + S Video Capture Adapter**

It converts analog video and audio from legacy sources like VHS VCRs or camcorders into digital formats on your computer.

## Computer Peripherals & Expansion

---

### **P340 | USB to RS422 Serial Converter**

It allows a computer to communicate with industrial automated machinery, PLC systems, cameras, or sensors via serial communication protocols.

### **P341 | USB to RS485 Serial Converter**

It provides standard serial communication between a computer's USB port and industrial Modbus devices, PLC systems, or security PTZ cameras.

### **P342 | USB to SATA Adapter Cable**

It connects a standard 2.5-inch hard drive or SSD to a computer, using the second USB connector for auxiliary power supply

## Audio, Speakers & Video Equipment

---

### **P343 | Wall-mounted 21.5-inch LCD Digital Signage**

It displays high-definition promotional content, digital menus, or advertisements in commercial spaces. It uses a Content Management System (CMS)

## Supergold Corporation Limited - Wholesale Product Catalog

www.supergoldpet.com.hk | sales@supergoldpet.com.hk | Since 2012

to update videos and images remotely via Wi-Fi or USB

### Service Instruments & Tools

---

#### P344 | USB Heated Insoles for Shoes

These USB-heated insoles convert electric current into far-infrared heat using carbon fiber sheets. They insert into shoes to keep feet warm during cold weather or outdoor activities.

### Network & Connectivity Products

---

#### P345 | Dual-Band WiFi Magnetic Mount Omni-Directional 55cm Antenna

This dual-band magnetic antenna boosts 2.4GHz and 5.8GHz wireless signals by transmitting and receiving radio waves omni-directionally when attached to vehicles, metal frames, or industrial enclosures.

### Audio, Speakers & Video Equipment

---

#### P346 | Indoor Floor Standing Non-touch 65-inch LCD Digital Signage

Display commercial advertisements, interactive wayfinding maps, public announcements, and promotional multimedia in high-traffic indoor environments like malls, hotel lobbies, corporate offices, and transit hubs.

#### P347 | Indoor Floor Standing Non-touch 98-inch LCD Digital Signage

Deliver large-scale commercial advertising, branding videos, information announcements, and promotional media across massive 98-inch vertical displays in premium public spaces like exhibition halls, airports, luxury hotel lobbies, and flagship retail stores.

### Computer Peripherals & Expansion

---

#### P348 | Intel CPU Cooler ARGB Black

4-pin PWM tower cooler with ARGB lighting for Intel LGA115X / 1200 / 1700 / 1851 (and LGA2011). 90 mm fan, 4 copper heat pipes + aluminum fins. Rated for CPU TDP under 155 W. Quiet operation (~22.5 dBA). 12 V, black finish.

### Service Instruments & Tools

---

#### P349 | Portable LED Zoom Flashlight Type-C

Aluminum zoom flashlight with 5 modes (High / Mid / Low / Flash / SOS), Type-C rechargeable, digital battery display, IPX4, about 800-1000 lm / up to ~800 m. Uses 26650 / 18650 / 3×AAA

### Mobile Phone & Telecom Accessories

---

#### P350 | USB-C OTG SD & TF Card Reader with USB-A

Type-C OTG adapter that reads SD and microSD (TF) cards, plus one USB-A port for flash drives or peripherals. Plug into Type-C phones, tablets or laptops - no extra power needed for normal cards/drives.